


White

Opaque

6
PACK



NORTHWEST FIBER-GLASS SUPPLY, INC.
55 COLUMBIA AVENUE N.E.
MINNEAPOLIS, MN 55418
ATTN: RON SCHMIDT
DEC. 22, 1981

SAFETY DATA SHEET

MANUFACTURER'S NAME PIGMENT DISPERSIONS, INC.		EMERGENCY TELEPHONE NO. 201-287-1930
ADDRESS 54 Kellogg Court, P.O. Box 412, Edison, New Jersey 08817		
CHEMICAL NAME AND SYNONYMS White Color Paste Dispersion	TRADE NAME AND SYNONYMS P.D.I. No. 1100	
CHEMICAL FAMILY Condensation Polymer	FORMULA 30% 70%	Polyester - no monomer Pigment

PHYSICAL DATA			
BOILING POINT (°F.)	300°F	SPECIFIC GRAVITY (H ₂ O=1)	
VAPOR PRESSURE (mm Hg.)	N/A	PERCENT VOLATILE BY VOLUME (%)	Trace
VAPOR DENSITY (AIR=1)	N/A	EVAPORATION RATE (1=-1)	N/A
SOLUBILITY IN WATER	Insoluble		
APPEARANCE AND ODOR	White	Mild Odor	(musty)

FIRE DATA			
FLASH POINT	Tag open cap 200°F	FLAMMABLE LIMITS	N/A
EXTINGUISHING MEDIA	CO ₂ Dry Chemical	LEL	UEL
SPECIAL FIRE FIGHTING PROCEDURES	Extinguish flame from perimeter inward to main body of fire.		
UNUSUAL FIRE AND EXPLOSION HAZARDS	None		

HEALTH DATA	
THRESHOLD LIMIT VALUE	N/A
EFFECTS OF OVEREXPOSURE	Mild Skin and Eye Irritant
EMERGENCY AND FIRST AID PROCEDURES	If ingested, induce vomiting. For skin contact, flush with soap and water. Eye contact, flush with profuse amounts of water.

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein.

REACTIVITY DATA		
STABILITY	UNSTABLE	CONDITIONS TO AVOID
	STABLE XX	
INCOMPATIBILITY (Materials to Avoid)		Exposure to extreme heat or open flame. Oxidizing material.
HAZARDOUS DECOMPOSITION PRODUCTS		
HAZARDOUS POLYMERIZATION	MAY OCCUR	CONDITIONS TO AVOID
	XXX WILL NOT OCCUR	

SPILL OR LEAK PROCEDURES	
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	Cover spill with an excess of absorbent inorganic material (Vermiculite) and sweep up. Remainder may be cleaned up with hot soapy water or a non inflammable solvent.
WASTE DISPOSAL METHOD	Burning in a safe open area or burying in the ground.


PROTECTIVE EQUIPMENT INFORMATION - OVEREXPOSURE POTENTIAL	
RESPIRATORY PROTECTION (Specify Type)	N/A
PROTECTIVE GLOVES	Non absorbent type
VENTILATION	LOCAL EXHAUST MECHANICAL (General)
OTHER PROTECTIVE EQUIPMENT	Standard ventilation N/A
EYE PROTECTION	Chemical workers goggles

SPECIAL PRECAUTIONS	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Store in cool dry area. Do not store in direct sunlight.

DATE: Dec. 22, 1981

SIGNATURE: 

Yellow



WEST FIBR-GLASS SUPPLY, INC.
 5 COLUMBIA AVENUE N.E.
 NEAPOLIS, MN 55418
 ATTN: RON SCHMIDT
 DEC. 22, 1981

SAFETY DATA SHEET

MANUFACTURER'S NAME PIGMENT DISPERSIONS, INC.		EMERGENCY TELEPHONE NO. 201-287-1930
ADDRESS 54 Kellogg Court, P.O. Box 412, Edison, New Jersey 08817		
CHEMICAL NAME AND SYNONYMS Yellow Color Paste Dispersion		TRADE NAME AND SYNONYMS P.D.I. No. 1202
CHEMICAL FAMILY Condensation Polymer	FORMULA 40% Polyester - no monomer 60% Pigment	

PHYSICAL DATA			
BOILING POINT (°F.)	300°F	SPECIFIC GRAVITY (H ₂ O=1)	
VAPOR PRESSURE (mm Hg.)	N/A	PERCENT VOLATILE BY VOLUME (%)	Trace
VAPOR DENSITY (AIR=1)	N/A	EVAPORATION RATE (min=1)	N/A
SOLUBILITY IN WATER	Insoluble		
APPEARANCE AND ODOR	Yellow	Mild Odor	(musty)

FIRE DATA			
FLASH POINT	Tag open cap 200°F	FLAMMABLE LIMITS	N/A
EXTINGUISHING MEDIA	CO ₂ Dry Chemical		
SPECIAL FIRE FIGHTING PROCEDURES	Extinguish flame from perimeter inward to main body of fire.		
UNUSUAL FIRE AND EXPLOSION HAZARDS	None		

HEALTH DATA	
THRESHOLD LIMIT VALUE	N/A
EFFECTS OF OVEREXPOSURE	Mild Skin and Eye Irritant
EMERGENCY AND FIRST AID PROCEDURES	If ingested, induce vomiting. For skin contact, flush with soap and water. Eye contact, flush with profuse amounts of water.

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein.

Red



NORTHWEST FIBER-GLASS SUPPLY, INC.
 55 COLUMBIA AVENUE N.E.
 MINNEAPOLIS, MN 55418
 ATTN: RON SCHMIDT
 DEC. 22, 1981

SAFETY DATA SHEET

MANUFACTURER'S NAME PIGMENT DISPERSIONS, INC.		EMERGENCY TELEPHONE NO. 201-287-1930
ADDRESS 54 Kellogg Court, P.O. Box 412, Edison, New Jersey 08817		
CHEMICAL NAME AND SYNONYMS Red Color Paste Dispersion		TRADE NAME AND SYNONYMS P.D.I. No. 1502
CHEMICAL FAMILY Condensation Polymer	FORMULA 40% 60%	Polyester - no monomer Pigment

PHYSICAL DATA			
BOILING POINT (°F.)	300°F	SPECIFIC GRAVITY (H ₂ O=1)	
VAPOR PRESSURE (mm Hg.)	N/A	PERCENT VOLATILE BY VOLUME (%)	Trace
VAPOR DENSITY (AIR=1)	N/A	EVAPORATION RATE (H ₂ O=1)	N/A
SOLUBILITY IN WATER	Insoluble		
APPEARANCE AND ODOR	Red	Mild Odor	(musty)

FIRE DATA			
FLASH POINT	Tag open cap 200°F	FLAMMABLE LIMITS	N/A
EXTINGUISHING MEDIA	CO ₂ Dry Chemical		
SPECIAL FIRE FIGHTING PROCEDURES	Extinguish flame from perimeter inward to main body of fire.		
UNUSUAL FIRE AND EXPLOSION HAZARDS	None		

HEALTH DATA	
THRESHOLD LIMIT VALUE	N/A
EFFECTS OF OVEREXPOSURE	Mild Skin and Eye Irritant
EMERGENCY AND FIRST AID PROCEDURES	If ingested, induce vomiting. For skin contact, flush with soap and water. Eye contact, flush with profuse amounts of water.

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein.

REACTIVITY DATA

STABILITY	UNSTABLE	CONDITIONS TO AVOID
	STABLE XX	
INCOMPATIBILITY (Materials to Avoid)		Oxidizing material.
HAZARDOUS DECOMPOSITION PRODUCTS		
HAZARDOUS POLYMERIZATION	MAY OCCUR	CONDITIONS TO AVOID
	XXX WILL NOT OCCUR	

SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	
	Cover spill with an excess of absorbent inorganic material (Vermiculite) and sweep up. Remainder may be cleaned up with hot soapy water or a non inflammable solvent.
WASTE DISPOSAL METHOD	
	Burning in a safe open area or burying in the ground.

PROTECTIVE EQUIPMENT INFORMATION - OVEREXPOSURE POTENTIAL

RESPIRATORY PROTECTION (Specify Type)		N/A
PROTECTIVE GLOVES	Non absorbent type	EYE PROTECTION Chemical workers goggles
VENTILATION	LOCAL EXHAUST	
	MECHANICAL (General)	Standard ventilation
OTHER PROTECTIVE EQUIPMENT		N/A

SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	
	Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Store in cool dry area. Do not store in direct sunlight.

DATE: Dec. 22, 1981

SIGNATURE: 