Revision Date: 2/27/2020

# SAFETY DATA SHEET

# 1. Identification

Product identifier: STAINLESS STEEL WIPES- K00950

Other means of identification

**SDS number:** RE1000029180

Recommended restrictions
Product Use: Cleaner

Restrictions on use: Not known.

# Manufacturer/Importer/Distributor Information

#### Manufacturer

Company Name: VICTORIA BAY PRODUCTS

Address: 255 ROUTE 1 & 9

JERSEY CITY, NJ 07306

Telephone: 800-226-3233

Fax:

Emergency telephone number: 1-866-836-8855

# 2. Hazard(s) identification

#### **Hazard Classification**

**Physical Hazards** 

Flammable liquids Category 4

**Health Hazards** 

Skin sensitizer Category 1
Aspiration Hazard Category 1

**Environmental Hazards** 

Acute hazards to the aquatic Category 2

environment

#### **Label Elements**

# **Hazard Symbol:**



Signal Word: Danger

Hazard Statement: Combustible liquid.

May cause an allergic skin reaction.

May be fatal if swallowed and enters airways.

Toxic to aquatic life.

Precautionary Statements

Revision Date: 2/27/2020

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

**Response:** IF ON SKIN: Wash with plenty of water If skin irritation or rash occurs: Get

medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor Do NOT induce vomiting. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use# to

extinguish.

**Storage:** Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated light	64742-47-8	50 - <100%
White mineral oil (petroleum)	8042-47-5	20 - <50%
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-	5989-27-5	5 - <10%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# 4. First-aid measures

**Ingestion:** Call a physician or poison control center immediately. Rinse mouth. Never

give liquid to an unconscious person. If vomiting occurs, keep head low so

that stomach content doesn't get into the lungs.

**Inhalation:** Move to fresh air.

**Skin Contact:** Get medical attention if symptoms occur. Destroy or thoroughly clean

contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic

skin reaction develops, get medical attention.

Eye contact: Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses. If eye irritation persists: Get

medical advice/attention.

#### Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

#### Indication of immediate medical attention and special treatment needed

**Treatment:** No data available.

Revision Date: 2/27/2020

# 5. Fire-fighting measures

General Fire Hazards: Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. In case of leakage, eliminate all ignition sources.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop

the flow of material, if this is without risk.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid release to the environment.

#### 7. Handling and storage

**Precautions for safe handling:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Avoid contact with eyes, skin, and clothing. Wash

hands thoroughly after handling.

Conditions for safe storage,

including any incompatibilities:

Store locked up. Store in a well-ventilated place. Store in a cool place.

### 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated light	REL	100 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)

Revision Date: 2/27/2020

Distillates (petroleum), hydrotreated light - Non-aerosol as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (2008)
	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (2008)
White mineral oil (petroleum) - Mist.	REL	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	STEL	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
White mineral oil (petroleum) - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (01 2010)

Appropriate Engineering

No data available.

**Controls** 

#### Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

> Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists,

mechanical generation of dusts, drying of solids, etc.

Eye/face protection: Wear safety glasses with side shields (or goggles).

**Skin Protection** 

**Hand Protection:** No data available.

Other: Wear suitable protective clothing. Wear chemical-resistant gloves, footwear,

and protective clothing appropriate for the risk of exposure. Contact health

and safety professional or manufacturer for specific information.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Observe good industrial hygiene practices. When using do not smoke. Hygiene measures:

Contaminated work clothing should not be allowed out of the workplace.

Avoid contact with skin.

# 9. Physical and chemical properties

**Appearance** 

Physical state: liquid

Form: Premoistened towel Color: No data available. Odor: No data available. Odor threshold: No data available. pH: No data available. **Melting point/freezing point:** No data available. Initial boiling point and boiling range: No data available. Flash Point: Estimated 91.7 °C **Evaporation rate:** No data available. Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available. Flammability limit - lower (%): No data available. No data available. **Explosive limit - upper (%):** Explosive limit - lower (%): No data available. Vapor pressure: No data available.

SDS US - RE1000029180

Revision Date: 2/27/2020

Vapor density:No data available.Density:Estimated 0.81 g/cm3Relative density:No data available.

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Secomposition temperature:
No data available.
Secomposition temperature:
No data available.
Sestimated < 20 mm2/s

# 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Heat, sparks, flames.

**Incompatible Materials:** No data available.

**Hazardous Decomposition** 

**Products:** 

No data available.

# 11. Toxicological information

Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

#### Information on toxicological effects

# Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Distillates (petroleum), hydrotreated light

LD 50 (Rat): > 5,000 mg/kg

White mineral oil (petroleum)

LD 50 (Rat): > 5,000 mg/kg

SDS US - RE1000029180

Revision Date: 2/27/2020

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- LD 50 (Rat): > 2,000 mg/kg

**Dermal** 

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Distillates (petroleum), hydrotreated light

LD 50 (Rabbit): > 2,000 mg/kg

White mineral oil (petroleum)

LD 50 (Rabbit): > 2,000 mg/kg

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- LD 50 (Rabbit): > 5,000 mg/kg

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Distillates (petroleum), LC 50: > 5 mg/l hydrotreated light LC 50: > 20 mg/l

White mineral oil LC 50 (Rat): > 5 mg/l (petroleum) LC 50: > 20 mg/l

Cyclohexene, 1-methyl-4- LC 50: > 20 mg/l (1-methylethenyl)-, (4R)- LC 50: > 5 mg/l

Repeated dose toxicity

**Product:** No data available.

Specified substance(s):

Distillates (petroleum), NOAEL (Rat(Female, Male), Inhalation): >= 24 mg/m3 Inhalation

hydrotreated light Experimental result, Key study

NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result,

Key study

White mineral oil (petroleum)

NOAEL (Rat(Female, Male), Oral, 90 d): >= 20,000 ppm(m) Oral

Experimental result, Key study

NOAEL (Rabbit(Female, Male), Dermal): 1,000 mg/kg Dermal Read-across from supporting substance (structural analogue or surrogate), Key study LOAEL (Rat(Female, Male), Inhalation): 210 mg/m3 Inhalation Experimental

result, Key study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- NOAEL (Rat(Male), Oral, 13 Weeks): 600 mg/kg Oral Experimental result,

Key study

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light

in vivo (Rabbit): Not irritant Experimental result, Key study

White mineral oil (petroleum)

in vivo (Rabbit): Not irritant Experimental result, Key study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-,

in vivo (Rabbit): Not irritant Experimental result, Key study

(4R)-

Revision Date: 2/27/2020

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

Distillates (petroleum),

Rabbit, 24 - 72 hrs: Not irritating

hydrotreated light

White mineral oil (petroleum)

Rabbit, 24 - 72 hrs: Not irritating

Cyclohexene, 1-methyl-

4-(1-methylethenyl)-,

(4R)-

Rabbit, 24 - 72 hrs: Not irritating

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Distillates (petroleum),

Skin sensitization:, in vivo (Guinea pig): Non sensitising

hydrotreated light

White mineral oil

Skin sensitization:, in vivo (Guinea pig): Non sensitising

(petroleum)

Carcinogenicity

**Product:** No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

Product: No data available.

**Aspiration Hazard** 

Product: No data available.

Specified substance(s):

Distillates (petroleum),

May be fatal if swallowed and enters airways.

hydrotreated light

White mineral oil

May be fatal if swallowed and enters airways.

(petroleum)

Other effects: No data available.

Revision Date: 2/27/2020

# 12. Ecological information

#### **Ecotoxicity:**

# Acute hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

Specified substance(s):

White mineral oil (petroleum)

NOAEL (Oncorhynchus mykiss, 96 h): >= 100 mg/l Experimental result, Key

study

LL 50 (Oncorhynchus mykiss, 96 h): > 100 mg/l Experimental result, Key

study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- EC 50 (Pimephales promelas, 96 h): 688 μg/l Experimental result, Key study

Aquatic Invertebrates

**Product:** No data available.

Specified substance(s):

White mineral oil (petroleum)

NOAEL (Daphnia magna, 48 h): >= 100 mg/l Experimental result, Key study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- EC 50 (Daphnia magna, 48 h): 0.36 mg/l Experimental result, Key study NOAEL (Daphnia magna, 48 h): 0.074 mg/l Experimental result, Key study

# Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light

NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study

White mineral oil (petroleum)

NOAEL (Oncorhynchus mykiss): >= 1,000 mg/l QSAR QSAR, Supporting

study

**Aquatic Invertebrates** 

Product:

No data available.

Specified substance(s):

White mineral oil (petroleum)

NOAEL (Daphnia magna): >= 1,000 mg/l QSAR QSAR, Supporting study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- NOAEL (Freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex): 0.115 mg/l QSAR QSAR, Weight of Evidence

study

**Toxicity to Aquatic Plants** 

**Product:** No data available.

#### Persistence and Degradability

Biodegradation

**Product:** No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light

61 % Detected in water. Experimental result, Supporting study

Revision Date: 2/27/2020

White mineral oil (petroleum)

31 % (28 d) Detected in water. Read-across from supporting substance

(structural analogue or surrogate), Supporting study

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-  $80\ \%$  (28 d) Detected in water. Read-across from supporting substance

(structural analogue or surrogate), Key study

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4-

Bioconcentration Factor (BCF): 864.8 Aquatic sediment QSAR, Key study

(1-methylethenyl)-, (4R)-

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Specified substance(s):

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-

Log Kow: 4.34 - 4.46 25 °C No Experimental result, Supporting study

Mobility in soil:

Known or predicted distribution to environmental compartments

No data available.

Distillates (petroleum), hydrotreated light
White mineral oil (petroleum)
Cyclohexene, 1-methyl-4-(1No data available.
No data available.
No data available.

methylethenyl)-, (4R)-

Other adverse effects: Toxic to aquatic life with long lasting effects.

13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: No data available.

14. Transport information

**DOT** 

Not regulated.

**IMDG** 

Not regulated.

**IATA** 

Not regulated.

# 15. Regulatory information

#### **US Federal Regulations**

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

Revision Date: 2/27/2020

#### **CERCLA Hazardous Substance List (40 CFR 302.4):**

None present or none present in regulated quantities.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Fire Hazard

Immediate (Acute) Health Hazards

Flammable liquids

Skin sensitizer

**Aspiration Hazard** 

#### SARA 302 Extremely Hazardous Substance

# <u>Chemical Identity</u> <u>Reportable quantity</u> <u>Threshold Planning Quantity</u>

Distillates (petroleum), hydrotreated light

#### SARA 304 Emergency Release Notification

Chemical Identity Reportable quantity

Distillates (petroleum), hydrotreated light

#### SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
-------------------	-----------------------------

Distillates (petroleum), hydrotreated light

White mineral oil (petroleum)

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)
10000 lbs

#### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

#### **US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

# US. New Jersey Worker and Community Right-to-Know Act <a href="Chemical Identity">Chemical Identity</a>

Distillates (petroleum), hydrotreated light

White mineral oil (petroleum)

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-

#### **US. Massachusetts RTK - Substance List**

No ingredient regulated by MA Right-to-Know Law present.

#### US. Pennsylvania RTK - Hazardous Substances

# **Chemical Identity**

Distillates (petroleum), hydrotreated light

White mineral oil (petroleum)

#### **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

# International regulations

#### Montreal protocol

Distillates (petroleum), hydrotreated light

#### Stockholm convention

Distillates (petroleum), hydrotreated light

Revision Date: 2/27/2020

#### **Rotterdam convention**

Distillates (petroleum), hydrotreated light

#### **Kyoto protocol**

**Inventory Status:** 

Australia AICS: On or in compliance with the inventory

Canada DSL Inventory List:

On or in compliance with the inventory

Canada NDSL Inventory: Not in compliance with the inventory.

Ontario Inventory: On or in compliance with the inventory

China Inv. Existing Chemical Substances: On or in compliance with the inventory

Japan (ENCS) List: Not in compliance with the inventory.

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory

Mexico INSQ: On or in compliance with the inventory

New Zealand Inventory of Chemicals:

On or in compliance with the inventory

Philippines PICCS: On or in compliance with the inventory

Taiwan Chemical Substance Inventory: On or in compliance with the inventory

US TSCA Inventory: On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

# 16.Other information, including date of preparation or last revision

**Issue Date:** 2/27/2020

**Revision Information:** No data available.

Version #: 1.0

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.